CONTENTS OF VOLUME 34

Articles

ABRAMOVICH, FELIX, BENJAMINI, YOAV, DONOHO, DAVID L. AND JOHNSTONE, IAIN M. Adapting to unknown sparsity by controlling the false discovery rate 584–653

ANDERSSON, STEEN A. AND PERLMAN, MICHAEL D. Characterizing Markov equivalence classes for AMP chain graph models 939–972

ANEVSKI, D. AND HÖSSJER, O. A general asymptotic scheme for inference under order restrictions 1874–1930

ANTONIADIS, ANESTIS AND BIGOT, JÉREMIE. Poisson inverse problems 2132–2158

ARIAS-CASTRO, ERY, DONOHO, DAVID L. AND HUO, XIAOMING. Adaptive multiscale detection of filamentary structures in a background of uniform random points 326–349

ASLAN, MIHAELA. Asymptotically minimax Bayes predictive densities 2921–2938

ATCHADÉ, YVES F. AND LIU, JUN S. Discussion 1620–1628

BARTLETT, PETER L. AND MENDELSON, SHAHAR. Discussion.. 2657–2663

BENJAMINI, YOAV, DONOHO, DAVID L., JOHNSTONE, IAIN M. AND ABRAMOVICH, FELIX. Adapting to unknown sparsity by controlling the false discovery rate 584–653

BERKES, ISTVÁN, HORVÁTH, LAJOS, KOKOSZKA, PIOTR AND SHAO, QI-MAN. On discriminating between long-range dependence and changes in mean 1140–1165

BHATTACHARYA, BHASKAR. An iterative procedure for general probability measures to obtain I-projections onto intersections of convex sets 878–902

BICKEL, PETER J. AND CHEN, AIYOU. Efficient independent component analysis 2825–2855

BICKEL, PETER J. AND LEVINA, ELIZAVETA. Texture synthesis and nonparametric resampling of random fields 1751–1773

BICKEL, PETER J., RITOV, YA'ACOV AND STOKER, THOMAS M. Tailor-made tests for goodness of fit to semiparametric hypotheses 721–741

BIGOT, JÉREMIE AND ANTONIADIS, ANESTIS. Poisson inverse problems 2132–2158

BISCHOFF, WOLFGANG AND MILLER, FRANK. Optimal designs which are efficient for lack of fit tests 2015–2025

BLANCHARD, GILLES AND MASSART, PASCAL. Discussion 2664–2671

BOENTE, GRACIELA, HE, XUMING AND ZHOU, JIANHUI. Robust estimates in generalized partially linear models 2856–2878

BORDES, LAURENT, MOTTELET, STÉPHANE AND VANDEKERKHOVE, PIERRE. Semiparametric estimation of a two-component mixture model 1204–1232
BÜHLMANN, PETER. Boosting for high-dimensional linear models 559–583
BÜHLMANN, PETER AND MEINSHAUSEN, NICOLAI. High-dimensional graphs and variable selection with the Lasso 1436–1462
CAI, T. TONY AND HALL, PETER. Prediction in functional linear regression 2159–2179
CAI, T. TONY AND LOW, MARK G. Adaptive confidence balls ... 202–228
CAI, T. TONY AND LOW, MARK G. Optimal adaptive estimation of a quadratic functional 2298–2325
CARROLL, RAYMOND J. AND RUPPERT, DAVID. Discussion 2098–2104
CAVALIER, L. AND GOLUBEV, YU. Risk hull method and regularization by projections of ill-posed inverse problems 1653–1677
CHAMBAZ, ANTOINE. Testing the order of a model 1166–1203
CHEN, AIYOU AND BICKEL, PETER J. Efficient independent component analysis 2825–2855
CHEN, HEGANG H. AND CHENG, CHING-SHUI. Doubling and projection: A method of constructing two-level designs of resolution IV 546–558
CHEN, MING-HUI AND KIM, SUNGDUK. Discussion 1629–1635
CHEN, WILLA W. AND HURVICH, CLIFFORD M. Semiparametric estimation of fractional cointegrating subspaces 2939–2979
CHEN, YUGUO, DINWOODIE, IAN H. AND SULLIVANT, SETH. Sequential importance sampling for multiway tables 523–545
CHENG, CHING-SHUI AND CHEN, HEGANG H. Doubling and projection: A method of constructing two-level designs of resolution IV 546–558
CLARKE, B. AND YUAN, AO. Closed form expressions for Bayesian sample size 1293–1330
CLÉMENÇON, STÉPHAN, LUGOSI, GÁBOR AND VAYATIS, NICOLAS. Discussion 2672–2676
CORAM, MARC AND LALLEY, STEVEN P. Consistency of Bayes estimators of a binary regression function 1233–1269
CSISZÁR, IMRE AND TALATA, ZSOLT. Consistent estimation of the basic neighborhood of Markov random fields 123–145
CSÖRGŐ, MIKLÓS, SZYSZKOWICZ, BARBARA AND WANG, LIHONG. Strong invariance principles for sequential Bahadur–Kiefer and Vervaat error processes of long-range dependent sequences 1013–1044

DAHLHAUS, RAINER AND POLONIK, WOLFGANG. Nonparametric quasi-maximum likelihood estimation for Gaussian locally stationary processes 2790–2824
DAHLHAUS, RAINER AND SUBBA RAO, SUHASINI. Statistical inference for time-varying ARCH processes 1075–1114
DALALYAN, A. S., GOLUBEV, G. K. AND TSYBAKOV, A. B. Penalized maximum likelihood and semiparametric second-order efficiency 169–201
DATTA, GAURI S., GHOSH, MALAY AND SWEETING, TREVOR J. Nonsubjective priors via predictive relative entropy regret 441–468
DE HAAN, LAURENS, LI, DEYUAN AND EINMAHL, JOHN H. J. Weighted approximations of tail copula processes with application to testing the bivariate extreme value condition 1987–2014
DE HAAN, LAURENS AND PEREIRA, TERESA T. Spatial extremes: Models for the stationary case 146–168
DIACONIS, PERSI AND ROLLES, SILKE W. W. Bayesian analysis for reversible Markov chains 1270–1292
DINWOODIE, IAN H., SULLIVANT, SETH AND CHEN, YUGUO. Sequential importance sampling for multiway tables 523–545
DONOHO, DAVID AND JIN, JIASHUN. Asymptotic minimaxity of false discovery rate thresholding for sparse exponential data ... 2980–3018
DONOHO, DAVID L., HUO, XIAOMING AND ARIAS-CASTRO, ERY. Adaptive multiscale detection of filamentary structures in a background of uniform random points 326–349
DONOHO, DAVID L., JOHNSTONE, IAIN M., ABRAMOVICH, FELIX AND BENJAMINI, YOAV. Adapting to unknown sparsity by controlling the false discovery rate 584–653
DUPUY, JEAN-FRANCOIS, GRAMA, ION AND MESBAH, MOUNIR. Asymptotic theory for the Cox model with missing time-dependent covariate 903–924
EINMAHL, JOHN H. J., DE HAAN, LAURENS AND LI, DEYUAN. Weighted approximations of tail copula processes with application to testing the bivariate extreme value condition 1987–2014
EINMAHL, JOHN H. J. AND LIN, TAO. Asymptotic normality of extreme value estimators on $C[0, 1]$ 469–492
FAN, JIANQING, LIN, HUAZHEN AND ZHOU, YONG. Local partial-likelihood estimation for lifetime data 290–325
FERREIRA, J. A. AND ZWINDERMAN, A. H. On the Benjamini–Hochberg method 1827–1849
FROMONT, MAGALIE AND LAURENT, BÉATRICE. Adaptive goodness-of-fit tests in a density model 680–720

FUH, CHENG-DER. Efficient likelihood estimation in state space models 2026–2068
GAO, JITI, LU, ZUDI AND TJØSTHEIM, DAG. Estimation in semiparametric spatial regression 1395–1435
GARDNER, RICHARD J., KIDERLEN, MARKUS AND MILANFAR, PEYMAN. Convergence of algorithms for reconstructing convex bodies and directional measures 1331–1374
GEIGER, DAN, MEEK, CHRISTOPHER AND STURMFELS, BERND. On the toric algebra of graphical models 1463–1492
GEORGE, EDWARD I., LIANG, FENG AND XU, XINYI. Improved minimax predictive densities under Kullback–Leibler loss 78–91
GHOSAL, SUBHASHIS AND ROY, ANINDYA. Posterior consistency of Gaussian process prior for nonparametric binary regression 2413–2429
GHOSH, MALAY, SWEETING, TREVOR J. AND DATTA, GAURI S. Nonsubjective priors via predictive relative entropy regret 441–468
GOLDENSHLUGER, A., TSYBAKOV, A. AND ZEEVI, A. Optimal change-point estimation from indirect observations 350–372
GOLDENSHLUGER, ALEXANDER AND ZEEVI, ASSAF. Recovering convex boundaries from blurred and noisy observations 1375–1394
GOLUBEV, G. K., TSYBAKOV, A. B. AND DALALYAN, A. S. Penalized maximum likelihood and semiparametric second-order efficiency 169–201
GOLUBEV, YU. AND CAVALIER, L. Risk hull method and regularization by projections of ill-posed inverse problems 1653–1677
GRAMA, ION, MESBAH, MOUNIR AND DUPUY, JEAN-FRANCOIS. Asymptotic theory for the Cox model with missing time-dependent covariate 903–924
GRAMA, ION G. AND NEUMANN, MICHAEL H. Asymptotic equivalence of nonparametric autoregression and nonparametric regression 1701–1732
GREENSHTEIN, EITAN. Best subset selection, persistence in high-dimensional statistical learning and optimization under l_1 constraint 2367–2386
HALL, PETER AND CAI, T. TONY. Prediction in functional linear regression 2159–2179
HALL, PETER AND MAITI, TAPABRATA. Nonparametric estimation of mean-squared prediction error in nested-error regression models 1733–1750
HALL, PETER, MÜLLER, HANS-GEORG AND WANG, JANE-LING. Properties of principal component methods for functional and longitudinal data analysis 1493–1517

HALL, PETER AND VIAL, CÉLINE. Assessing extrema of empirical principal component functions 1518–1544
HALLIN, MARC, OJA, HANNU AND PAINDAVEINE, DAVY. Semiparametrically efficient rank-based inference for shape. II. Optimal R-estimation of shape 2757–2789
HALLIN, MARC AND PAINDAVEINE, DAVY. Semiparametrically efficient rank-based inference for shape. I. Optimal rank-based tests for sphericity 2707–2756
HALLIN, MARC, VERMANDELE, CATHERINE AND WERKER, BAS. Serial and nonserial sign-and-rank statistics: Asymptotic representation and asymptotic normality 254–289
HE, XUMING AND WEI, YING. Conditional growth charts 2069–2097
HE, XUMING AND WEI, YING. Rejoinder 2126–2131
HE, XUMING, ZHOU, JIANHUI AND BOENTE, GRACIELA. Robust estimates in generalized partially linear models 2856–2878
HE, XUMING AND ZUO, YIJUN. On the limiting distributions of multivariate depth-based rank sum statistics and related tests ... 2879–2896
HELLAND, INGE S. Extended statistical modeling under symmetry; the link toward quantum mechanics 42–77
HO, MAN-WAI. A Bayes method for a monotone hazard rate via S-paths 820–836
HORVÁTH, LAJOS, KOKOSZKA, PIOTR, SHAO, QI-MAN AND BERKES, ISTVÁN. On discriminating between long-range dependence and changes in mean 1140–1165
HÖSSJER, O. AND ANEVSKI, D. A general asymptotic scheme for inference under order restrictions 1874–1930
HUO, XIAOMING, ARIAS-CASTRO, ERY AND DONOHO, DAVID L. Adaptive multiscale detection of filamentary structures in a background of uniform random points 326–349
HURVICH, CLIFFORD M. AND CHEN, WILLA W. Semiparametric estimation of fractional cointegrating subspaces 2939–2979
INOUE, AKIHIKO AND KASAHARA, YUKIO. Explicit representation of finite predictor coefficients and its applications 973–993
JAMES, LANCELOT F. Poisson calculus for spatial neutral to the right processes 416–440
JIN, JIASHUN AND DONOHO, DAVID. Asymptotic minimaxity of false discovery rate thresholding for sparse exponential data ... 2980–3018
JOHNSTONE, IAIN M., ABRAMOVICH, FELIX, BENJAMINI, YOAV AND DONOHO, DAVID L. Adapting to unknown sparsity by controlling the false discovery rate 584–653

KASAHARA, YUKIO AND INOUE, AKIHIKO. Explicit representation of finite predictor coefficients and its applications 973–993
KIDERLEN, MARKUS, MILANFAR, PEYMAN AND GARDNER, RICHARD J. Convergence of algorithms for reconstructing convex bodies and directional measures 1331–1374
KIM, SUNGDUK AND CHEN, MING-HUI. Discussion..... 1629–1635
KIM, YONGDAI. The Bernstein–von Mises theorem for the proportional hazard model..... 1678–1700
KLEIJN, B. J. K. AND VAN DER VAART, A. W. Misspecification in infinite-dimensional Bayesian statistics..... 837–877
KOKOSZKA, PIOTR, SHAO, QI-MAN, BERKES, ISTVÁN AND HORVÁTH, LAJOS. On discriminating between long-range dependence and changes in mean 1140–1165
KOLTCHINSKII, VLADIMIR. Local Rademacher complexities and oracle inequalities in risk minimization..... 2593–2656
KOLTCHINSKII, VLADIMIR. Rejoinder..... 2697–2706
KOMAKI, FUMIYASU. Shrinkage priors for Bayesian prediction... 808–819
KOU, S. C., ZHOU, QING AND WONG, WING HUNG. Equi-energy sampler with applications in statistical inference and statistical mechanics..... 1581–1619
KOU, S. C., ZHOU, QING AND WONG, WING HUNG. Rejoinder 1646–1652
KOUL, HIRA L. AND LING, SHIQING. Fitting an error distribution in some heteroscedastic time series models 994–1012
KULIKOV, VLADIMIR N. AND LOPUHAÄ, HENDRIK P. The behavior of the NPMLE of a decreasing density near the boundaries of the support..... 742–768
LAHIRI, S. N. AND ZHU, JUN. Resampling methods for spatial regression models under a class of stochastic designs 1774–1813
LAHIRI, SOUMENDRA N. AND NORDMAN, DANIEL J. A frequency domain empirical likelihood for short- and long-range dependence..... 3019–3050
LALLEY, STEVEN P. AND CORAM, MARC. Consistency of Bayes estimators of a binary regression function..... 1233–1269
LAURENT, BÉATRICE AND FROMONT, MAGALIE. Adaptive goodness-of-fit tests in a density model..... 680–720
LEEB, HANNES AND PÖTSCHER, BENEDIKT M. Can one estimate the conditional distribution of post-model-selection estimators? 2554–2591
LEVINA, ELIZAVETA AND BICKEL, PETER J. Texture synthesis and nonparametric resampling of random fields 1751–1773
LEVITT, MICHAEL AND MINARY, PETER. Discussion..... 1636–1641

LI, DEYUAN, EINMAHL, JOHN H. J. AND DE HAAN, LAURENS. Weighted approximations of tail copula processes with application to testing the bivariate extreme value condition 1987–2014
LIANG, FENG, XU, XINYI AND GEORGE, EDWARD I. Improved minimax predictive densities under Kullback–Leibler loss 78–91
LII, KEH-SHIN AND ROSENBLATT, MURRAY. Estimation for almost periodic processes 1115–1139
LIN, HUAZHEN, ZHOU, YONG AND FAN, JIANQING. Local partial-likelihood estimation for lifetime data 290–325
LIN, TAO AND EINMAHL, JOHN H. J. Asymptotic normality of extreme value estimators on $C[0, 1]$ 469–492
LIN, YI AND ZHANG, HAO HELEN. Component selection and smoothing in multivariate nonparametric regression 2272–2297
LING, SHIQING AND KOUL, HIRA L. Fitting an error distribution in some heteroscedastic time series models 994–1012
LIU, JUN S. AND ATCHADÉ, YVES F. Discussion 1620–1628
LOPUHAÄ, HENDRIK P. AND KULIKOV, VLADIMIR N. The behavior of the NPMLE of a decreasing density near the boundaries of the support 742–768
LOW, MARK G. AND CAI, T. TONY. Adaptive confidence balls ... 202–228
LOW, MARK G. AND CAI, T. TONY. Optimal adaptive estimation of a quadratic functional 2298–2325
LU, ZUDI, TJØSTHEIM, DAG AND GAO, JITI. Estimation in semiparametric spatial regression 1395–1435
LUGOSI, GÁBOR, VAYATIS, NICOLAS AND CLÉMENÇON, STÉPHAN. Discussion 2672–2676
MAITI, TAPABRATA AND HALL, PETER. Nonparametric estimation of mean-squared prediction error in nested-error regression models 1733–1750
MAMMEN, ENNO AND PARK, BYEONG U. A simple smooth backfitting method for additive models 2252–2271
MARINUCCI, DOMENICO. High-resolution asymptotics for the angular bispectrum of spherical random fields 1–41
MASSART, PASCAL AND BLANCHARD, GILLES. Discussion 2664–2671
MASSART, PASCAL AND NÉDÉLEC, ÉLODIE. Risk bounds for statistical learning 2326–2366
MEEK, CHRISTOPHER, STURMFELS, BERND AND GEIGER, DAN. On the toric algebra of graphical models 1463–1492
MEI, YAJUN. Sequential change-point detection when unknown parameters are present in the pre-change distribution 92–122

MEINSHAUSEN, NICOLAI AND BÜHLMANN, PETER. High-dimensional graphs and variable selection with the Lasso 1436–1462
MEINSHAUSEN, NICOLAI AND RICE, JOHN. Estimating the proportion of false null hypotheses among a large number of independently tested hypotheses 373–393
MENDELSON, SHAHAR AND BARTLETT, PETER L. Discussion .. 2657–2663
MESBAH, MOUNIR, DUPUY, JEAN-FRANCOIS AND GRAMA, ION. Asymptotic theory for the Cox model with missing time-dependent covariate 903–924
MIKOSCH, THOMAS AND STRAUMANN, DANIEL. Stable limits of martingale transforms with application to the estimation of GARCH parameters 493–522
MIKOSCH, THOMAS AND STRAUMANN, DANIEL. Quasi-maximum-likelihood estimation in conditionally heteroscedastic time series: A stochastic recurrence equations approach 2449–2495
MILANFAR, PEYMAN, GARDNER, RICHARD J. AND KIDERLEN, MARKUS. Convergence of algorithms for reconstructing convex bodies and directional measures 1331–1374
MILLER, FRANK AND BISCHOFF, WOLFGANG. Optimal designs which are efficient for lack of fit tests 2015–2025
MINARY, PETER AND LEVITT, MICHAEL. Discussion 1636–1641
MOTTELET, STÉPHANE, VANDEKERKHOVE, PIERRE AND BORDES, LAURENT. Semiparametric estimation of a two-component mixture model 1204–1232
MÜLLER, HANS-GEORG AND ŞENTÜRK, DAMLA. Inference for covariate adjusted regression via varying coefficient models ... 654–679
MÜLLER, HANS-GEORG, WANG, JANE-LING AND HALL, PETER. Properties of principal component methods for functional and longitudinal data analysis 1493–1517
MÜLLER, URSULA U., SCHICK, ANTON AND WEFELMEYER, WOLFGANG. Efficient prediction for linear and nonlinear autoregressive models 2496–2533
MYKLAND, PER ASLAK AND ZHANG, LAN. ANOVA for diffusions and Itô processes 1931–1963
NAU, ROBERT. The shape of incomplete preferences 2430–2448
NÉDÉLEC, ÉLODIE AND MASSART, PASCAL. Risk bounds for statistical learning 2326–2366
NEUMANN, MICHAEL H. AND GRAMA, ION G. Asymptotic equivalence of nonparametric autoregression and nonparametric regression 1701–1732

NORDMAN, DANIEL J. AND LAHIRI, SOUMENDRA N. A frequency domain empirical likelihood for short- and long-range dependence 3019–3050

OJA, HANNU, PAINDAVEINE, DAVY AND HALLIN, MARC. Semiparametrically efficient rank-based inference for shape. II. Optimal R-estimation of shape 2757–2789

PAINDAVEINE, DAVY AND HALLIN, MARC. Semiparametrically efficient rank-based inference for shape. I. Optimal rank-based tests for sphericity 2707–2756

PAINDAVEINE, DAVY, HALLIN, MARC AND OJA, HANNU. Semiparametrically efficient rank-based inference for shape. II. Optimal R-estimation of shape 2757–2789

PARK, BYEONG U. AND MAMMEN, ENNO. A simple smooth backfitting method for additive models 2252–2271

PATILEA, VALENTIN AND ROLIN, JEAN-MARIE. Product-limit estimators of the survival function with twice censored data 925–938

PENG, LIANG AND QI, YONGCHENG. Confidence regions for high quantiles of a heavy tailed distribution 1964–1986

PENSKY, MARIANNA. Frequentist optimality of Bayesian wavelet shrinkage rules for Gaussian and non-Gaussian noise 769–807

PERE, ANNELI. Discussion 2105–2112

PEREIRA, TERESA T. AND DE HAAN, LAURENS. Spatial extremes: Models for the stationary case 146–168

PERLMAN, MICHAEL D. AND ANDERSSON, STEEN A. Characterizing Markov equivalence classes for AMP chain graph models 939–972

POLONIK, WOLFGANG AND DAHLHAUS, RAINER. Nonparametric quasi-maximum likelihood estimation for Gaussian locally stationary processes 2790–2824

PÖTSCHER, BENEDIKT M. AND LEEB, HANNES. Can one estimate the conditional distribution of post-model-selection estimators? 2554–2591

QI, YONGCHENG AND PENG, LIANG. Confidence regions for high quantiles of a heavy tailed distribution 1964–1986

RICE, JOHN AND MEINSHAUSEN, NICOLAI. Estimating the proportion of false null hypotheses among a large number of independently tested hypotheses 373–393

RITOV, YA'ACOV, STOKER, THOMAS M. AND BICKEL, PETER J. Tailor-made tests for goodness of fit to semiparametric hypotheses 721–741

ROBINS, JAMES AND VAN DER VAART, AAD. Adaptive nonparametric confidence sets 229–253

ROBINSON, PETER M. AND ZAFFARONI, PAOLO. Pseudo-maximum likelihood estimation of ARCH(∞) models 1049–1074
ROLIN, JEAN-MARIE AND PATILEA, VALENTIN. Product-limit estimators of the survival function with twice censored data 925–938
ROLLES, SILKE W. W. AND DIACONIS, PERSI. Bayesian analysis for reversible Markov chains 1270–1292
ROMANO, JOSEPH P. AND SHAIKH, AZEEM M. Stepup procedures for control of generalizations of the familywise error rate 1850–1873
ROSENBLATT, MURRAY AND LII, KEH-SHIN. Estimation for almost periodic processes 1115–1139
ROY, ANINDYA AND GHOSAL, SUBHASHIS. Posterior consistency of Gaussian process prior for nonparametric binary regression 2413–2429
RUBIN, DONALD B. AND STUART, ELIZABETH A. Affinely invariant matching methods with discriminant mixtures of proportional ellipsoidally symmetric distributions 1814–1826
RUPPERT, DAVID AND CARROLL, RAYMOND J. Discussion 2098–2104
SALIBIAN-BARRERA, MATIAS AND ZAMAR, RUBEN H. Discussion 2113–2118
SARKAR, SANAT K. False discovery and false nondiscovery rates in single-step multiple testing procedures 394–415
SCHICK, ANTON, WEFELMEYER, WOLFGANG AND MÜLLER, URSULA U. Efficient prediction for linear and nonlinear autoregressive models 2496–2533
SCRICCIOLO, CATIA. Convergence rates for Bayesian density estimation of infinite-dimensional exponential families 2897–2920
ŞENTÜRK, DAMLA AND MÜLLER, HANS-GEORG. Inference for covariate adjusted regression via varying coefficient models ... 654–679
SHAIKH, AZEEM M. AND ROMANO, JOSEPH P. Stepup procedures for control of generalizations of the familywise error rate 1850–1873
SHAO, QI-MAN, BERKES, ISTVÁN, HORVÁTH, LAJOS AND KOKOSZKA, PIOTR. On discriminating between long-range dependence and changes in mean 1140–1165
SHEN, XIAOTONG AND WANG, LIFENG. Discussion 2677–2680
SPEED, TERENCE P. AND TAI, YU CHUAN. A multivariate empirical Bayes statistic for replicated microarray time course data .. 2387–2412
STOKER, THOMAS M., BICKEL, PETER J. AND RITOV, YA'ACOV. Tailor-made tests for goodness of fit to semiparametric hypotheses 721–741
STRAUMANN, DANIEL AND MIKOSCH, THOMAS. Stable limits of martingale transforms with application to the estimation of GARCH parameters 493–522

STRAUMANN, DANIEL AND MIKOSCH, THOMAS. Quasi-maximum-likelihood estimation in conditionally heteroscedastic time series: A stochastic recurrence equations approach 2449–2495

STUART, ELIZABETH A. AND RUBIN, DONALD B. Affinely invariant matching methods with discriminant mixtures of proportional ellipsoidally symmetric distributions..... 1814–1826

STURMFELS, BERND, GEIGER, DAN AND MEEK, CHRISTOPHER. On the toric algebra of graphical models..... 1463–1492

SUBBA RAO, SUHASINI AND DAHLHAUS, RAINER. Statistical inference for time-varying ARCH processes 1075–1114

SULLIVANT, SETH, CHEN, YUGUO AND DINWOODIE, IAN H. Sequential importance sampling for multiway tables 523–545

SWEETING, TREVOR J., DATTA, GAURI S. AND GHOSH, MALAY. Nonsubjective priors via predictive relative entropy regret 441–468

SZYSZKOWICZ, BARBARA, WANG, LIHONG AND CSÖRGŐ, MIKLÓS. Strong invariance principles for sequential Bahadur–Kiefer and Vervaat error processes of long-range dependent sequences 1013–1044

TAI, YU CHUAN AND SPEED, TERENCE P. A multivariate empirical Bayes statistic for replicated microarray time course data... 2387–2412

TALATA, ZSOLT AND CSISZÁR, IMRE. Consistent estimation of the basic neighborhood of Markov random fields..... 123–145

THOMPSON, MARY LOU. Discussion 2119–2125

TJØSTHEIM, DAG, GAO, JITI AND LU, ZUDI. Estimation in semiparametric spatial regression 1395–1435

TSYBAKOV, A., ZEEVI, A. AND GOLDENSHLUGER, A. Optimal change-point estimation from indirect observations 350–372

TSYBAKOV, A. B. Discussion 2681–2687

TSYBAKOV, A. B., DALALYAN, A. S. AND GOLUBEV, G. K. Penalized maximum likelihood and semiparametric second-order efficiency..... 169–201

VAN DE GEER, SARA. Discussion..... 2688–2696

VAN DER VAART, A. W. AND KLEIJN, B. J. K. Misspecification in infinite-dimensional Bayesian statistics..... 837–877

VAN DER VAART, AAD AND ROBINS, JAMES. Adaptive nonparametric confidence sets 229–253

VANDEKERKHOVE, PIERRE, BORDES, LAURENT AND MOTTELET, STÉPHANE. Semiparametric estimation of a two-component mixture model 1204–1232

VAYATIS, NICOLAS, CLÉMENÇON, STÉPHAN AND LUGOSI, GÁBOR. Discussion..... 2672–2676

VERMANDELE, CATHERINE, WERKER, BAS AND HALLIN, MARC. Serial and nonserial sign-and-rank statistics: Asymptotic representation and asymptotic normality 254–289
VIAL, CÉLINE AND HALL, PETER. Assessing extrema of empirical principal component functions 1518–1544
WANG, JANE-LING, HALL, PETER AND MÜLLER, HANS-GEORG. Properties of principal component methods for functional and longitudinal data analysis 1493–1517
WANG, LIFENG AND SHEN, XIAOTONG. Discussion 2677–2680
WANG, LIHONG, CSÖRGŐ, MIKLÓS AND SZYSZKOWICZ, BARBARA. Strong invariance principles for sequential Bahadur–Kiefer and Vervaat error processes of long-range dependent sequences 1013–1044
WEFELMEYER, WOLFGANG, MÜLLER, URSULA U. AND SCHICK, ANTON. Efficient prediction for linear and nonlinear autoregressive models 2496–2533
WEI, YING AND HE, XUMING. Conditional growth charts 2069–2097
WEI, YING AND HE, XUMING. Rejoinder 2126–2131
WERKER, BAS, HALLIN, MARC AND VERMANDELE, CATHERINE. Serial and nonserial sign-and-rank statistics: Asymptotic representation and asymptotic normality 254–289
WONG, WING HUNG, KOU, S. C. AND ZHOU, QING. Equi-energy sampler with applications in statistical inference and statistical mechanics 1581–1619
WONG, WING HUNG, KOU, S. C. AND ZHOU, QING. Rejoinder 1646–1652
WU, YING NIAN AND ZHU, SONG-CHUN. Discussion 1642–1645
XU, HONGQUAN. Blocked regular fractional factorial designs with minimum aberration 2534–2553
XU, XINYI, GEORGE, EDWARD I. AND LIANG, FENG. Improved minimax predictive densities under Kullback–Leibler loss 78–91
YUAN, AO AND CLARKE, B. Closed form expressions for Bayesian sample size 1293–1330
ZAFFARONI, PAOLO AND ROBINSON, PETER M. Pseudo-maximum likelihood estimation of ARCH(∞) models 1049–1074
ZAMAR, RUBEN H. AND SALIBIAN-BARRERA, MATIAS. Discussion 2113–2118
ZEEVI, A., GOLDENSHLUGER, A. AND TSYBAKOV, A. Optimal change-point estimation from indirect observations 350–372
ZEEVI, ASSAF AND GOLDENSHLUGER, ALEXANDER. Recovering convex boundaries from blurred and noisy observations 1375–1394

ZHANG, HAO HELEN AND LIN, YI. Component selection and smoothing in multivariate nonparametric regression..... 2272–2297
ZHANG, HEPING AND ZHU, HONGTU. Generalized score test of homogeneity for mixed effects models..... 1545–1569
ZHANG, LAN AND MYKLAND, PER ASLAK. ANOVA for diffusions and Itô processes..... 1931–1963
ZHANG, TONG. From ε-entropy to KL-entropy: Analysis of minimum information complexity density estimation..... 2180–2210
ZHOU, JIANHUI, BOENTE, GRACIELA AND HE, XUMING. Robust estimates in generalized partially linear models..... 2856–2878
ZHOU, QING, WONG, WING HUNG AND KOU, S. C. Equi-energy sampler with applications in statistical inference and statistical mechanics..... 1581–1619
ZHOU, QING, WONG, WING HUNG AND KOU, S. C. Rejoinder.. 1646–1652
ZHOU, YONG, FAN, JIANQING AND LIN, HUAZHEN. Local partial-likelihood estimation for lifetime data..... 290–325
ZHU, HONGTU AND ZHANG, HEPING. Generalized score test of homogeneity for mixed effects models..... 1545–1569
ZHU, JUN AND LAHIRI, S. N. Resampling methods for spatial regression models under a class of stochastic designs..... 1774–1813
ZHU, SONG-CHUN AND WU, YING NIAN. Discussion..... 1642–1645
ZUO, YIJUN. Multidimensional trimming based on projection depth 2211–2251
ZUO, YIJUN AND HE, XUMING. On the limiting distributions of multivariate depth-based rank sum statistics and related tests... 2879–2896
ZWINDERMAN, A. H. AND FERREIRA, J. A. On the Benjamini–Hochberg method..... 1827–1849

Correction

DAHLHAUS, RAINER. Efficient parameter estimation for self-similar processes..... 1045–1047

Addenda

DAVIES, P. LAURIE AND GATHER, URSULA. Addendum to the discussion of "Breakdown and groups"..... 1577–1579
GATHER, URSULA AND DAVIES, P. LAURIE. Addendum to the discussion of "Breakdown and groups"..... 1577–1579
MEI, YAJUN. Comments on "A note on optimal detection of a change in distribution," by Benjamin Yakir..... 1570–1576